Inyo Mono Advocates for Community Action (IMACA)

Service Area	Inyo and Mono Counties
Total Low Income Households	4,201

See Footnote #1

Households Served and Average Benefit

	Servi	Service Area				
Program Component	Households Served Average Benefit per Household		Average Benefit per Household			
ECIP EHCS Cooling	0	\$0	\$861			
ECIP EHCS Heating	5	\$2,030	\$1,208			
ECIP Fast Track	135	\$343	\$351			
ECIP WPO	217	\$593	\$322			
HEAP Gas & Electric	124	\$259	\$238			
HEAP WPO	160	\$860	\$299			
Weatherization	83	\$1,404	\$1,446			

See Footnote #2

Household Income

	Service Area				Statewide	
	Under 101 - 125% Over 125%		Under 101 - 125% Over 1	Over 125%		
LIHEAP Eligible Households	100%	101 - 120/0	OVC: 12070	100%	101 - 120/0	OVC1 12070
Census Data	32%	18%	50%	39%	16%	45%

Service Area					
Program Component	Under 75%	75% to 100%	101% to 125%	126% to 150%	Over 150%
ECIP EHCS & WPO	90%	10%	0%	0%	0%
ECIP Fast Track	44%	15%	24%	6%	11%
HEAP Gas & Electric	33%	14%	27%	14%	13%
HEAP WPO	83%	18%	0%	0%	0%
Weatherization	76%	22%	0%	2%	0%

	Statewide				
Program Component	Under 75%	75% to 100%	101% to 125%	126% to 150%	Over 150%
ECIP EHCS & WPO	28%	17%	24%	16%	15%
ECIP Fast Track	49%	16%	18%	8%	9%
HEAP Gas & Electric	30%	16%	33%	12%	10%
HEAP WPO	28%	14%	28%	13%	17%
Weatherization	28%	17%	25%	13%	17%

See Footnote #3

Agency Profile Page 1 of 9

Vulnerable Populations

	Service Area				Statewide	
LIHEAP Eligible Households	Elderly	Disabled	Children Under 5	Elderly	Disabled	Children Under 5
Census Data	53%	43%	5%	33%	37%	8%

	Service Area	Statewide
Program Component	VP HHs to Total HHs	VP HHs to Total HHs
ECIP EHCS & WPO	77%	77%
ECIP Fast Track	77%	81%
HEAP Gas & Electric	69%	76%
HEAP WPO	58%	82%
Weatherization	47%	77%

See Footnote #4

Energy Burden

National Average	15%
------------------	-----

	Service Area
Program Component	Average Energy
Program Component	Burden
ECIP Fast Track	32%
HEAP Gas & Electric	18%
Weatherization	10%

See Footnote #5

Primary Heating Fuel Type

	Service Area					
	Natural Gas Electricity Propane Fuel Oil, Kerosene Wood Other					Other
Census Data	14%	17%	41%	1%	25%	2%

	Service Area					
Program Component	Natural Gas	Electricity	Propane	Fuel Oil, Kerosene	Wood	Other
Weatherization	0%	35%	60%	2%	1%	1%

See Footnote #6


ECIP/HEAP Expenditures


	Service Area	Statewide Range
Program Component	Actual Expenditures	Actual Expenditures
ECIP EHCS	4%	1% - 30%
ECIP Fast Track	16%	7% - 42%
ECIP WPO	37%	1% - 21%
HEAP Gas/Electric	5%	27% - 67%
HEAP WPO	38%	1% - 21%

See Footnote #7

Agency Profile Page 2 of 9

Climate Data





Agency Profile Page 3 of 9

Climate Data

Heating/Cooling Seasons				
Zone	Heating Months	Cooling Months		
14	November - April	June - September		
16	January - December	n/a		

CEC Climate Zone Descriptions			
Zone	Description		
14	Southern high dessert		
16	Mountain		

See Footnote #8

California Energy Commission (CEC) Building Climate Zones by City				
City	Climate	City	Climate	
Inyo County	Zone	Laws	Zone 16	
Airport Lake	14	Lee Wash	16	
Amargosa Range	14	Little Lake	16	
Amargosa River	14	Loco	16	
Argus Peak	16	Lone Pine	16	
Argus Range	16	Lostman Spring	16	
Ballarat	14	Manley Peak	16	
Bartlett	16	Marble Canyon	16	
Bennetts Well	14	Midway Well	14	
Big Pine	16	Miller Spring	14	
Bishop	16	Mount Darwin	16	
Cartago	16	Mount Morgan	16	
Cerro Gordo Peak	16	Mount Whitney	16	
Chloride City	16	Nopah Range	14	
Coso Hot Springs	16	Olancha	16	
Coso Junction	16	Olancha Peak	16	
Coso Peak	16	Owens Lake	16	
Coso Range	16	Owens River	16	
Cottonwood Canyon	14/16	Owens Valley	16	
Cottonwood Mountains	16	Owenyo	16	
Darwin	16	Owlshead Mountains	14	
Darwin Wash	16	Pahrump Valley	14	
Death Valley	14	Paiute Canyon	16	
Death Valley Junction	14	Panamint	16	
Death Valley Wash	14	Panamint Range	16	
Deep Springs	16	Panamint Springs	14	
Deep Springs Lake	16	Panamint Valley	14	
Dolomite	16	Pleasant Grove	16	
Dunmovin	16	Red Wall Canyon	16	
Echo Canyon	14	Renegade Canyon	16	
Emigrant Canyon	16	Rhodes Wash	14	
Eureka Valley	16	Rovana	16	
Fish Springs	16	Ryan	14	
Franklin Well	14	Saline Valley	16	
Funeral Park	14	Salt Lake	16	
Furnace Creek Wash	14	Sawtooth Peak	16	
Glacier	16	Scheelite	16	
Greenwater Range	14	Scottys Castle	16	
Haiwee Reservoir	16	Sheep Canyon	14	

Agency Profile Page 4 of 9

Independence	16	Shoshone	14
Inyo Mountains	16	Skidoo	16
Kearsarge	16	Slate Range	14
Keeler	16	Sourdough Spring	16
Keough Hot Springs	16	Spanish Spring	16
Last Chance Range	16	Stovepipe Wells	14

Agency Profile Page 5 of 9

Climate Data

California Energy Commission (CEC) Building Climate Zones by City - continued				
City	Climate Zone	City	Climate Zone	
Inyo County		Fales Hot Springs	16	
Teakettle Junction	16	Glass Mountain	16	
Тесора	14	Grant Lake	16	
Telescope Peak	16	June Lake	16	
Tinemaha Reservoir	16	Lake Crowley	16	
Titus Canyon 16	16	Leavitt Peak	16	
Valley Wells 14	14	Lee Vining	16	
Waucoba Mountain 16	16	Little Walker River	16	
Waucoba Wash 16	16	Mammoth Lakes	16	
White Mountains 16	16	Matterhorn Peak	16	
Wildrose RS 16	16	McGee Canyon	16	
Willow Creek Camp 16	16	Mono Lake	16	
Wingate Wash 14	14	Mount Lyell	16	
Mono County		Mount Patterson	16	
Benton	16	Oasis	16	
Benton Hot Springs	16	River Springs Lakes	16	
Bodie	16	Sonora Pass	16	
Bridgeport	16	Tioga Pass	16	
Bridgeport Reservoir	16	Toms Place	16	
Chalfant	16	Topaz	16	
Chidago Canyon	16	Topaz Lake	16	
Coleville	16	Twin Lakes	16	
Cowtrack Mountain	16	West Walker River	16	
Crestview	16	White Mountains	16	
East Walker River	16	White Mountain Peak	16	

See Footnote #9

Department of Energy (DOE) Climate Zones by Weather Station				
Weather Station	Cooperative Station ID #		Cooling Degree Days (65° base)	DOE Climate Zone
Inyo County				
Bishop AP	40822	4,314	1,003	3
Death Valley	42319	1,257	5,296	5
Deep Springs College	42331	5,293	843	3
Haiwee	43710	3,784	1,441	4
Independence	44232	3,579	1,804	4
Wildrose R S	49671	3,663	1,623	4
Mono County				
Bodie	40943	9,770	4	1
Bridgeport	41072	8,439	37	1
Lee Vining	44881	6,513	281	2

See Footnote #10

Agency Profile Page 6 of 9

Repeat Customers

	Service Area	Statewide
Program Component	Repeat Customers	Repeat Customers
HEAP	1%	20%
Fast Track	7%	10%

See Footnote #11

Agency Profile Page 7 of 9

Footnotes

1. Total Low Income Households

Source:

Census information was provided by the California Department of Finance.

2. Households Served and Average Benefit

- The average benefit per household for ECIP EHCS and Weatherization was calculated by dividing the total direct program activity by the total households served.
- The average benefit per household for Fast Track, WPO and HEAP was calculated by dividing the total benefits received by the total households served.

Sources:

- ECIP EHCS, WPO, and Weatherization data was derived from activity and reimbursement reports submitted for Program Year 2005.
- Fast Track and HEAP data was derived from the CLASS database for Program Year 2005.

3. Household Income

Sources:

- Census information was provided by the California Department of Finance.
- ECIP EHCS, WPO, and Weatherization data was derived from activity and reimbursement reports submitted for Program Year 2005.

4. Vulnerable Populations

The number of vulnerable population households is not duplicated.

Sources:

- Census information was provided by the California Department of Finance.
- ECIP EHCS, WPO, and Weatherization data was derived from activity and reimbursement reports submitted for Program Year 2005.

5. Energy Burden

The energy burden is calculated by dividing the total household energy costs by the total household income.

Source:

- The national average energy burden was derived from the LIHEAP Home Energy Workbook for Fiscal Year 2005, DHHS, May 2007, page i.
- Weatherization data was derived from activity and reimbursement reports submitted for Program Year 2005.
- Fast Track and HEAP data was derived from the CLASS database for Program Year 2005.

6. **Primary Heating Fuel Type**

- Fuel types represent the types of fuels used as the primary heating source for low-income homes.
- The other heating fuel type category includes but is not limited to solar, coal and non-existent heating.

Source:

- Census information was provided by the California Department of Finance.
- Weatherization data was derived from activity and reimbursement reports submitted for Program Year 2006, the first year that fuel types were collected for LIHEAP.

Agency Profile Page 8 of 9

Footnotes

7. ECIP/HEAP Expenditures

- The expenditure ratios were calculated by dividing the total expenditures for each program by the sum total of all program expenditures included in this analysis.
- One standard deviation was used to determine the statewide ranges over a period of five years. For normally distributed data, about 68% of the values are within 1 standard deviation of the average. Sources:
- ECIP EHCS, WPO, and Weatherization data was derived from activity and reimbursement reports submitted for Program Years 2002 through 2006.
- Fast Track and HEAP data was derived from the CLASS database for Program Years 2002 through 2006.

8. Representative CEC Climate Zones

- Heat and Cold Level 1 is categorized as cautionary.
- Heat and Cold Level 2 is categorized as extremely cautionary.
- Cautionary levels of temperature were obtained from the California Office of Emergency Services.
- Average monthly maximum and minimum temperatures were dervied from the National Oceanic and Atmospheric Administration (NOAA), Monthly Station Normals of Temperature, Precipitation and Heating and Cooling Degree Days 1971-2000, 04 California, February 2002.

9. CEC Building Climate Zones by City

Source:

• Climate zone data was obtained from the Joint Appendices for the 2005 Building Energy Efficiency Standards for Residential and Nonresidential Buildings, October 2004, Table II.2.

10. **DOE Climate Zones by Weather Station**

- Heating and cooling degree days are used to categorize weather stations within a service area into DOE climate zones using a pre-established range of heating and cooling degree days.
- A degree day is calculated by subtracting the average temperature of the day from the degree day base. If it is a heating degree day, it is the difference below the base. If it is a cooling degree day, it is the difference above the base. The degree days are averaged over a 30-year period.

Source:

• Weather stations and degree days were obtained from the National Oceanic & Atmospheric Administration (NOAA), Annual Degree Days to Selected Bases, 1971-2000, released 6/20/02.

11. Repeat Customers

• The rate of repeat customers receiving utilty assistance was calculated by dividing the total customers receiving services two or more consecutive program years by the total customers served from Program Years 2004 through 2006.

Source:

• Fast Track and HEAP data was derived from the CLASS database for Program Years 2004 through 2006.

Agency Profile Page 9 of 9